



Samarth Educational Trust's,
SAMARTH CHARITABLE AND MULTISPECIALITY HOSPITAL
SAWAKAR HOMOEOPATHIC MEDICAL COLLEGE, SATARA

Recognized by NCH & Govt. of Maharashtra
Affiliated to Maharashtra University of Health Sciences, Nashik

Address: A/M,1/1 Additional MIDC
Degaon Road, Satara - 415 004
(Maharashtra)
Phone:02162,240036,240020
Email:hmcSATARA@gmail.com
Website : www.sawkarhmc.com
Institute Code: 4115

Equipment requirements for Anaesthesia Annexure 40

Sr. No.	Name of the Equipment	For 30 beds	31 to 50 beds	51 to 100 beds	Available
1.19.	See sub-clause 16. (b) of sub-regulation 16 of Schedule-II of regulation 5 and regulation Equipment requirements for Anaesthesia (Annexure 40)				
1.	Airway female & male	Adequate	Adequate	Adequate	Available
2.	Anaesthesia Trolley /Boyle's Apparatus	Minimum 1	Minimum 1	Minimum 1	01 Available
3.	Anesthetic- laryngoscope Magill's with Four blades	Minimum 2	Minimum 2	Minimum 2	02
4.	CO2 cylinder for laparoscope	Minimum 1	Minimum 1	Minimum 1	Available
5.	Connector set of six for ETT	Minimum 1	Minimum 1	Minimum 1	Available
6.	Defibrillator or Automated external defibrillator	Minimum 1	Minimum 1	Minimum 1	01 Available
7.	Endotracheal tube sets	Minimum 1	Minimum 1	Minimum 1	01 Available
8.	Magill's forceps (two sizes)	Minimum 1	Minimum 1	Minimum 1	Available
9.	Mouthprop	Minimum 1	Minimum 1	Minimum 1	Available
10.	Multi-parameter Monitor	Minimum 1	Minimum 1	Minimum 1	Available
11.	N2O Cylinder for Boyles	Minimum 1	Minimum 1	Minimum 1	Available
12.	O2 cylinder for Boyles	Minimum 1	Minimum 1	Minimum 1	Available
13.	Tongue depressors	Adequate	Adequate	Adequate	Available
14.	Tubes connecting for ETT	Adequate	Adequate	Adequate	Available




SUPERINTENDENT
Samarth Charitable Hospital
Add : MIDC, SATARA